

Government of the District of Columbia – Department of Health



Air Ambulance Inspection

| Inspection Date: | Time of In | spection: | | |
|---|---|----------------------|----------------|------------|
| Organization: | | Unit # _ | | Serial # |
| Aircraft Make and Model: | | | | |
| N Number: | Color | | | |
| Certification Expiration Date: | | | | |
| Type of Inspection: Certification | | | | nannounced |
| | | | | |
| Location of Inspection: | | | | |
| Crew | | | | |
| Name: | DC # | Exp | CPR | ACLS |
| Name: | | | | |
| Results: ☐ Pass ☐ Fail | ☐ Unit Decertified | d Correct | tive Action Du | e By: |
| Crew Name: Sign | | | | |
| erew Nume. | 51 | gnatare | | Dutc |
| Supervisor Name: Sign | | gnature: | | Date: |
| Inspector Name: Sign | | gnature: | | Date: |
| Advanced Life Support Air Aml | bulances | | | |
| | All Air A | Ambulances | | |
| Ventilation and Airway Equipment | | Bandages/Hemorr | hage Control | |
| ☐ Portable or a Fixed Suction Appara | _ | ☐ Sterile burn shee | ets (4) | |
| (tested to 300mm/mg in less than 4 s | econds) | □ ∓ to on to observe | (4) | |
| ☐ Wide-bore tubing | ☐ Triangular bandages (4) ☐ Multi-trauma dressings, ABDs, 10"x12" or larger (4) | | | |
| ☐ Rigid pharyngeal curved surplement of the Rigid pharyngeal curved sur | Gauze rolls, various sizes | | | |
| ☐ 6F to 10F ☐ 12F to 16F | ☐ 2-inch ☐ 3-inch ☐ 4-inch or other | | | |
| ☐ Portable or fixed oxygen supply eq | ☐ 4x4-inch gauze sponges (25) | | | |
| Oxygen administration equipment | ☐ Occlusive dressing, sterile, 3x8-inch or larger (4) | | | |
| ☐ Adequate length connecting tubing | ☐ Hypoallergenic adhesive tape ☐1" ☐2" | | | |
| Non-Rebreather (2 each) | ☐ Commercial Application Tourniquet | | | |
| Nasal Cannula (2 each) | ☐ Adult ☐ Peds | Other Advanced Ec | quipment | |
| | | ☐ Nebulizer | | |
| Monitoring and Defibrillation | ☐ Glucometer or blood glucose device with reagent strips | | | |
| ☐ Automated External Defibrillator (A | ☐ Large bore need | le at least 3.2! | 5" in length | |
| ☐ Adult sized pads/cables | | | | |
| ☐ Child sized pads/cables or | | | | |
| Dulco Ovimeter capable of accessing pa | 1 | | | |

| Bag-Valve-Mask | Miscellaneous | | | |
|--|--|--|--|--|
| ☐ Bag-valve mask (manual resuscitator) hand- | ☐ Access to pediatric & adult patient care protocols | | | |
| operated, with oxygen reservoir/accumulator | (paper/electronic) | | | |
| ☐ Adult BVM | BP Cuff ☐ Pediatric ☐ Adult Regular ☐ Adult Large | | | |
| ☐ Pediatric BVM | ☐ Stethoscope | | | |
| | ☐ Length/weight or age-based tape or reference guide | | | |
| Mask, □ Adult □ Child □ Infant □ Neonate | ☐ Thermometer with low temperature capability | | | |
| ☐ Nasopharyngeal airways, 16F–34F | ☐ Heavy bandage or paramedic scissors | | | |
| ☐ Oropharyngeal airways, sizes 0–5 | | | | |
| | ☐ Wheeled cot (stretcher) or equivalent | | | |
| Infection Control (Latex Free Should Be Available) | ☐ Precipitous Childbirth Kit | | | |
| ☐ Full peripheral glasses or goggles, face shield | Medications Exp Date | | | |
| ☐ Face protection, surgical masks | ☐ 1:1,000 epinephrine | | | |
| ☐ Gloves, non-sterile | ☐ 1:10,000 epinephrine | | | |
| ☐ Waterless hand cleanser | □ D50 or D10 | | | |
| ☐ Disinfectant solution for cleaning equipment | ☐ Albuterol (or other inhaled beta agonist) | | | |
| Standard sharps containers ☐ Fixed ☐ Portable | ☐ Analgesics, narcotic and nonnarcotic | | | |
| ☐ Disposable trash bags for biohazardous waste | ☐ Antidysrhythmic (ie lidocaine) | | | |
| ☐ Respiratory protection, N95 or better | ☐ Antiepileptic medications (ie diazepam) | | | |
| Airway and Ventilation Equipment | ☐ Aspirin | | | |
| ☐ Laryngoscope (standard or video) | ☐ Atropine | | | |
| ☐ Laryngoscope blades, sizes 0–4, straight (Miller) | ☐ Bacteriostatic water | | | |
| ☐ Laryngoscope blades, sizes 2–4, curved (MacIntosh) | ☐ Beta-blockers (Labetalol, Metoprolol) | | | |
| ☐ Endotracheal tubes, cuffed and/or uncuffed | ☐ Calcium channel blockers (Diltiazem) | | | |
| 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm | ☐ Calcium chloride | | | |
| 5.0mm, 5.5mm | ☐ Furosemide (Lasix) | | | |
| ☐ Endotracheal tubes, cuffed | ☐ Glucagon | | | |
| 6.0mm, 6.5mm, 7.0mm, 7.5mm | ☐ Ipratropium bromide | | | |
| 8.0mm, 8.5mm | ☐ Magnesium sulfate | | | |
| ☐ Extraglottic Airway Device (SGA/IGEL/LMA) | ☐ Naloxone hydrochloride (Narcan) | | | |
| ☐ ETT Cuff Manometer | ☐ Nitroglycerin (tablets or spray) | | | |
| Stylettes/Introducers for ETT | ☐ Sodium bicarbonate | | | |
| Magill forceps □ Adult □ Pediatric | ☐ Sodium chloride for injection | | | |
| ETCO2 Capnography (Colormetric and Quantitative) | ☐ Sterile diluent or 25% dextrose solution | | | |
| Capably of assessing patients of all ages | | | | |
| Surgical Airway Kit | ☐ Vasopressor for infusion (ie dopamine) | | | |
| 10-ml Luerlock syringes | | | | |
| Cardiac | | | | |
| ☐ Portable 12 lead monitor/defibrillator/pacemaker | | | | |
| ☐ Adult Defib Pads, ☐ Peds Defib Pads, ☐ Electrodes | | | | |
| Vascular Access | | | | |
| ☐ Crystalloid solutions | ☐ Venous tourniquet, latex free | | | |
| ☐ Antiseptic solution wipes | ☐ Syringes of various sizes | | | |
| ☐ IV pole or roof hook | Needles of various sizes including one filter needle | | | |
| | ☐ Needles, one at least 1 ½" for IM injections | | | |
| Intravenous Catheters, 3 of each size | IV administration sets, 1 Macroset, 1 Microset | | | |
| □ 16g □ 18g □ 20g □ 22g □ 24g | Note: Dial a Flow dripset is acceptable in lieu of | | | |
| | Macro/Micro Dripset. | | | |
| IO Needles (1 each) 15mm, 25mm, 45mm | Intravenous arm boards ☐ Adult ☐ Pediatric | | | |

| Deficiencies Noted During Inspection | Date Corrected |
|--------------------------------------|----------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Health and Safety Concerns Concerns: | |
| | |
| | |
| | |
| | |
| | |
| oncerns: | |
| oncerns: | |
| Concerns: | |
| | |